



27 Roulston Rd, Windham NH 03087 • Phone: (603) 894-6100 • Fax: (603) 894-6161  
[cet@cettechnology.com](mailto:cet@cettechnology.com) • [www.cettechnology.com](http://www.cettechnology.com)


## UL Approved Power Transformers - PPC/PDPC Series

### PPC/PDPC FEATURES

CET has a complete and diversified selection of miniature plug-in power transformers. Primary ratings of 115V (style PDPC-6 pin) or dual 115/230V (style PDPC-8 pin) are standard for the entire line. Size 1.0 is used extensively where height is a limiting factor since its height of 0.83 allows 1 inch spacing of PC boards. Size 24 is unusual since 24 watt PC transformers are not readily available, especially with a height of 1 3/8 inches.

- UL recognized File # E146472
- Approved to CSA 22.2 No. 66
- Class B insulation 130°C
- 1500V HIPOT standard
- Custom versions also available

Size	VA	L	W	H	A-6 (6 pin)	A-8 (8 pin)	C	kg	OPTIOBAL BRACKET		
									NO.	MW	MD
--	--	--	--	--	--	--	--	--	--	--	--
2	1	25.40	34.93	21.08	6.35	5.08	30.48	0.07	--	--	--
3	1.2	34.93	28.58	30.16	7.92	5.08	25.40	0.09	--	--	--
4	4.4	41.28	31.75	34.93	10.16	6.35	27.94	0.14	--	--	--
5	10	47.63	36.51	41.28	10.16	6.35	33.02	0.26	10-BR	41.66	28.58
6	24	41.28	57.15	34.93	10.16	6.35	53.34	0.34	24-BR	34.93	50.80



<b><u>PART NUMBER</u></b>		<b><u>SECONDARY RMS RATING</u></b>	
<b>Single 115V</b>	<b>Dual 115V/230V</b>	<b>Series</b>	<b>Parallel</b>
<b>6 pin</b>	<b>8 pin</b>	<b>--</b>	<b>--</b>
PPC 10-90	PDPC 10-90	10V C.T. @ 90mA	5V @ 180mA
PPC 10-120	PDPC 10-120	10V C.T. @ 120mA	5V @ 240mA
PPC 10-440	PDPC 10-440	10V C.T. @ 440mA	5V @ 880mA
PPC 10-1000	PDPC 10-1000	10V C.T. @ 1A	5V @ 2A
PPC 10-2400	PDPC 10-2400	10V C.T. @ 2.4A	5V @ 4.8A
PPC 12-70	PDPC 12-70	12.6V C.T. @ 70mA	6.3V @ 140mA
PPC 12-100	PDPC 12-100	12.6V C.T. @ 100mA	6.3V @ 200mA

PPC 12-350	PPC 12-350	12.6V C.T. @ 350mA	6.3V @ 700mA
PPC 12-800	PDPC 12-800	12.6V C.T. @ 800mA	6.3V @ 1.6A
PPC 12-2000	PDPC 12-2000	12.6V C.T. @ 2A	6.3V @ 4A
PPC 16-55	PDPC 16-55	16V C.T. @ 55mA	8V @ 110mA
PPC 16-75	PDPC 16-75	16V C.T. @ 75mA	8V @ 150mA
PPC 16-260	PDPC 16-260	16V C.T. @ 260mA	8V @ 520mA
PPC 16-640	PDPC 16-640	16V C.T @ 640mA	8V @ 1.28A
PPC 16-1500	PDPC 16-1500	16V C.T. @ 1.5A	8V @ 3A
PPC 20-45	PDPC 20-45	20V C.T. @ 45mA	10V @ 90mA
PPC 20-60	PDPC 20-60	20V C.T. @ 60mA	10V @ 120mA
PPC 20-220	PDPC 20-220	20V C.T. @ 220mA	10V @ 440mA
PPC 20-500	PDPC 20-500	20V C.T. @ 500mA	10V @ 1A
PPC 20-1200	PDPC 20-1200	20V C.T. @ 1.2A	10V @ 2.4A
PPC 24-35	PDPC 24-35	24V C.T. @ 35mA	12V @ 70mA
PPC 24-50	PDPC 24-50	24V C.T. @ 50mA	12V @ 100mA
PPC 24-180	PDPC 24-180	24V C.T. @ 180mA	12V @ 360mA
PPC 24-450	PDPC 24-450	25V C.T. @ 450mA	12V @ 900mA
PPC 24-1000	PDPC 24-1000	24V C.T. @ 1A	12V @ 2A
PPC 28-30	PDPC 28-30	28V C.T. @ 30mA	14V @ 60mA
PPC 28-40	PDPC 28-40	28V C.T. @ 40mA	14V @ 80mA
PPC 28-160	PDPC 28-160	28V C.T. @ 160mA	14V @ 320mA
PPC 28-360	PDPC 28-360	28V C.T. @ 360mA	14V @ 720mA
PPC 28-800	PDPC 28-800	28V C.T. @ 800mA	14V @ 1.6A
PPC 34-25	PDPC 34-25	34V C.T. @ 25mA	17V @ 50mA
PPC 34-35	PDPC 34-35	34V C.T. @ 35mA	17V @ 70mA
PPC 34-125	PDPC 34-125	34V C.T. @ 125mA	17V @ 250mA
PPC 34-300	PDPC 34-300	34V C.T. @ 300mA	17V @ 600mA
PPC 34-700	PDPC 34-700	34V C.T. @ 700mA	17V @ 1.4A
PPC 40-20	PDPC 40-20	40V C.T. @ 20mA	20V @ 40mA
PPC 40-30	PDPC 40-30	40V C.T. @ 30mA	20V @ 60mA
PPC 40-110	PDPC 40-110	40V C.T. @ 110mA	20V @ 220mA

PPC 40-250	PDPC 40-250	40V C.T. @ 250mA	20V @ 500mA
PPC 40-600	PDPC 40-600	40V C.T. @ 600mA	20V @ 1.2A
PPC 56-15	PDPC 56-15	56V C.T. @ 15mA	28V @ 30mA
PPC 56-20	PDPC 56-20	56V C.T. @ 20mA	28V @ 40mA
PPC 56-80	PDPC 56-80	56V C.T. @ 80mA	28V @ 160mA
PPC 56-180	PDPC 56-180	56V C.T. @ 180mA	28V @ 360mA
PPC 56-420	PDPC 56-420	56V C.T. @ 420mA	28V @ 840mA
PPC 120-8	PDPC 120-8	120V C.T. @ 8mA	60V @ 16mA
PPC 120-10	PDPC 120-10	120V C.T. @ 10mA	60V @ 20mA
PPC 120-35	PDPC 120-35	120V C.T. @ 35mA	60V @ 70mA
PPC 120-85	PDPC 120-85	120V C.T. @ 85mA	60V @ 170mA
PPC 120-200	PDPC 120-200	120V C.T. 200mA	60V @ 400mA